

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"7287047"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:28
L2	47	(file or content) with (url or uuid or address\$4 or path) with (retain\$3 or retent\$3) near3 (time or period or duration)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:37
L3	31	(file or content) near5 (url or uuid or address\$4 or path) with (retain\$3 or retent\$3) near3 (time or period or duration)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:38
L4	5	(file or content) near5 (url or uuid or address\$4 or path) with (retain\$3 or retent\$3) near3 (time or period or duration) file near3 server	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:39
L5	25	(file or content) near5 (url or uuid or address\$4 or path) with (retain\$3 or retent\$3) near3 (time or period or duration) (network or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:39
L6	6	(file or content) near5 (url or uuid or address\$4 or path) with (retain\$3 or retent\$3) near3 (time or period or duration) same (network or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:46
L7	158	michael.in. and kilian.in. or avery.in. and mark.in. or todd.in. and stephen.in. and tuegels.in. and tom.in. and francis.in. and martens.in. or bruyndonckx.in. and jan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:51
L8	88	michael.in. near3 kilian.in. or avery.in. near3 mark.in. or todd.in. near3 stephen.in. and tuegels.in. near3 tom.in. or francis.in. near3 martens.in. or bruyndonckx.in. near3 jan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:51
L9	4	michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. and tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruyndonckx.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:53
L10	70	michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. or tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruyndonckx.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:54

L11	70	michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. or tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruynndonckx.in. emc.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:54
L12	0	(michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. or tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruynndonckx.in.) and emc.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:54
L13	70	(michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. or tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruynndonckx.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:55
L14	0	(michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. or tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruynndonckx.in.) massachusetts.inci.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:55
L15	0	(michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. or tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruynndonckx.in.) and massachusetts.inci.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:55
L16	0	(michael.in. adj3 kilian.in. or mark.in. adj3 avery.in. or stephen.in. adj3 todd.in. or tom.in. adj3 tuegels.in. or francis.in. adj3 martens.in. or jan.in. adj3 bruynndonckx.in.) and emc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:55
L17	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruynndonckx.in.) and emc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:56
L18	60	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruynndonckx.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:56
L19	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruynndonckx.in.) emc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:56
L20	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruynndonckx.in.) "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:56

L21	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) 10/731,790	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:57
L22	30	10/731,790	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:57
L23	90	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) or 10/731,790	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:57
L24	16	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) (storage or retention)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:58
L25	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) (storage or retention) massachussets.inco.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:59
L26	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) (storage or retention) MASSACHUSETTS.inco.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:59
L27	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) (storage or retention) MASSACHUSETTS.inci.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 12:59
L28	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) (storage or retention) MASSACHUSETTS.inst.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:00
L29	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) MASSACHUSETTS.inst.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:00
L30	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) MA.inst.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:00

L31	0	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.) belgium.inco.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:00
L32	60	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:01
L33	0	32 emc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:01
L34	60	(michael.in. adj kilian.in. or mark.in. adj avery.in. or stephen.in. adj todd.in. or tom.in. adj tuegels.in. or francis.in. adj martens.in. or jan.in. adj bruyndonckx.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:01
L35	0	32 harvard	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:01
L36	0	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) massachusetts.inst.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:03
L37	114	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) ma.inst.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:03
L38	114	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) ma.inst. or belgium.inco.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:03
L39	114	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) (ma.inst. or belgium.inco.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:03
L40	124	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) (ma.inst. or be.inco.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:03

L41	56	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruynndonckx.in.) (ma.inst. or be.inco.) emc	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:04
L42	72	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruynndonckx.in.) (ma.inst. or be.inco.) (emc or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:04
L43	68	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruynndonckx.in.) (ma.inst. or be.inco.) (sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:05
L44	68	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruynndonckx.in.) (ma.inst. or be.inco.) (clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:06
L45	68	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruynndonckx.in.) (ma.inst. or be.inco.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:06
L46	44	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruynndonckx.in.) (ma.inst. or be.inco.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:07

L47	34	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) (ma.inst. or be.inco.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3) with (time or period) with (disk or tape or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:07
L48	0	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) (ma.inst. or be.inco.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3) with (time or period) with (disk or tape or storage) @ad<"20031209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:08
L49	0	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) (ma.inst. or be.inco.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3) with (time or period) with (disk or tape or storage) and @ad<"20031209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:08
L50	1	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruyndonckx.in.) (ma.inst. or be.inco.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3) with (time or period) with (disk or tape or storage) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:08

L51	1	(michael.in. and kilian.in. or mark.in. and avery.in. or stephen.in. and todd.in. or tom.in. and tuegels.in. or francis.in. and martens.in. or jan.in. and bruynndonckx.in.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3) with (time or period) with (disk or tape or storage) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:09
L52	2	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in.) (sony.asnm. or clariion.asnm. or general.asnm. or sun.asnm. or emc.asnm. or hp.asnm. or hewlett.asnm. or "707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3) with (time or period) with (disk or tape or storage) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:10
L53	2	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (retention or retain\$3) with (time or period) with (disk or tape or storage) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:10
L54	5	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period) with (disk or tape or storage) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:11
L55	65	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period) (disk or tape or storage) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:12
L56	6	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period) same (disk or tape or storage or flash or solid near3 state) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:12

L57	5	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period) with (disk or tape or storage or flash or solid near3 state) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:22
L58	5	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period) with (disk or tape or storage or flash or solid near3 state ot san) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:27
L59	51	(emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period) with (disk or tape or storage or flash or solid near3 state ot san) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:28
L60	51	(emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period) with (disk or tape or storage or flash or solid near3 state ot san) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:28
L61	72	(emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state ot san) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:29
L62	83	(emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:29



L63	5	(emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) near3 (address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:30
L64	14	(emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) near3 (address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:30
L65	16	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruyndonckx.in. or emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) near3 (address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:31
L66	71	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruyndonckx.in. or emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm. or computer.asnm. or international.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) near3 (address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:32

L67	28	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruyndonckx.in. or emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm. or computer.asnm. or international.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3).ab. near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) near3 (address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:33
L68	1	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruyndonckx.in. or emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm. or computer.asnm. or international.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3).ab. near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) near3 (address or url or path) (expir\$5 or elaps\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:35
L69	2	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruyndonckx.in. or emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm. or computer.asnm. or international.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3).ab. near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) near3 (address or url or path) (expir\$5 or elaps\$3 or pass\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:35

L70	3	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in. or emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm. or computer.asnm. or international.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3).ab. near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (content or file) with (identifier or id or address or url or path) (expir\$5 or elaps\$3 or pass\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:36
L71	5	(kilian or avery or todd.in. or tuegels.in. or martens.in. or bruynndonckx.in. or emc.asnm. or sun.asnm. or hewlett.asnm. or ibm.asnm. or storagetek.asnm. or computer.asnm. or international.asnm.) ("707"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "709"/\$.ccls. or 10/731,790) (store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3).ab. near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san) and @ad<"20031210" (media or medium or content or file) with (identifier or id or address or url or path) (expir\$5 or elaps\$3 or pass\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:36
L72	45	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) with (identifier or id or address or url or path) (expir\$5 or elaps\$3 or pass\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:37
L73	32	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (expir\$5 or elaps\$3 or pass\$3).ab. (disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) with (identifier or id or address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:38

L74	32	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (expir\$5 or elaps\$3 or pass\$3).ab. (disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) with (guid or uuid or identifier or id or address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:38
L75	14	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) with (expir\$5 or elaps\$3 or pass\$3).ab. (disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:39
L76	10	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near8 (expir\$5 or elaps\$3 or pass\$3).ab. (disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:39
L77	6	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:39
L78	7	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicate or disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:40

L79	7	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicat\$3 or replicat\$3 or disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:40
L80	4	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicat\$3 or replicat\$3 or disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path) (metadata or blob or directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:42
L81	4	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicat\$3 or replicat\$3 or disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path) (metadata or blob or directory or host or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:42
L82	2	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicat\$3 or replicat\$3 or disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path) (metadata or blob or directory or host or server) (delet\$3 or erase or erased or erasing or purg\$3 or expung\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:43

L83	3	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicat\$3 or replicat\$3 or disk or tape or storage or flash or solid near3 state or array or san).ab. and @ad<"20031210" (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path) (metadata or blob or directory or host or server) (remov\$3 or delet\$3 or erase or erased or erasing or purg\$3 or expung\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:44
L84	11	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicat\$3 or replicat\$3 or disk or tape or storage or flash or solid near3 state or array or san).ab. (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path) (metadata or blob or directory or host or server) (remov\$3 or delet\$3 or erase or erased or erasing or purg\$3 or expung\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:45
L85	7	(store or stored or storing or save or saved or saving or hold\$3 or retention or retain\$3) near5 (time or period or day or month or hour or minute or second) near4 (expir\$5 or elaps\$3 or pass\$3).ab. (backup or archiv\$3 or duplicat\$3 or replicat\$3 or disk or tape or storage or flash or solid near3 state or array or san).ab. (media or medium or content or file) near3 (guid or uuid or identifier or id or address or url or path) (metadata or blob or directory or host or server) (file or content or record) with (remov\$3 or delet\$3 or erase or erased or erasing or purg\$3 or expung\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:45
L86	1	"7430645".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:54
L87	1	"20050160227".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:55

L88	1	"20050160061".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 13:56
L89	0	ep0515073	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:11
L90	2	"0515073"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:11
L91	25	"515073"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:12
L92	0	10/731,790.ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:50
L93	0	"10731790".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:50
L94	30	10/731,790	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:51
L95	22	10/731,790 kilian.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:51
L96	1	"20050125411".pn. content near3 unit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:52
L97	13	retention near3 period with content near3 unit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:52
L98	0	"20050125411".pn. content near3 unit 97	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:52
L99	74	retention with content near3 unit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:56
L100	0	"20050125411".pn. retention with content near3 unit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:56

L101	1	"20050125411".pn. retention with unit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 14:56
L102	21	file with self-destruct	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:37
L103	2100	(medium or content or file or module or unit) near8 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3) with (retention near3 period or expir\$6 or shred or destroy \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:39
L104	1577	(medium or content or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3) with (retention near3 period or expir\$6 or shred or destroy \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:39
L105	102	(medium or content or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3) with (retention near3 period or expir\$6 or shred or destroy \$3).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:39
L106	63	(medium or content or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3) with (retention near3 period or expir\$6 or shred or destroy \$3).ab. @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:39
L107	108	(medium or content or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy\$3).ab. @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:41
L108	88	(document or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy \$3).ab. @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:41
L109	4	(document or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy \$3).ab. with (requir\$5 or mandatory or must) @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:42



L110	29	(document or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy\$3) with (requir\$5 or mandatory or must) (path or location or address or position) with (document or file or module or unit) @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:43
L111	15	(document or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy\$3) near5 (requir\$5 or mandatory or must) (path or location or address or position) with (document or file or module or unit) @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:44
L112	1	(document or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy\$3) near5 (requir\$5 or mandatory or must) same (path or location or address or position) with (document or file or module or unit) @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:45
L113	5	(document or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy\$3) near5 (requir\$5 or mandatory or must) (creat\$3 or generat\$3) with (path or location or address or position) with (document or file or module or unit) @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:46
L114	5	(document or file or module or unit) near3 (self near3 delet\$3 or self-delet\$3 or self-destruct\$3 or eras\$3 or delet\$3 or wiped or wiping or wipe) with (retention near3 period or retain\$3 or criteria or expir\$6 or shred or destroy\$3) near5 (requir\$5 or mandatory or must or shall) (creat\$3 or generat\$3) with (path or location or address or position) with (document or file or module or unit) @ad<"20031210"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/01/17 15:47

1/17/2009 4:25:26 PM

C:\Documents and Settings\jwong4\My Documents\EAST\Workspaces\kilian-d.wsp